



DELTA flaeche IP44, AP Dark gray/light gray pushbutton 10 A 250 V, 66x 75 mm with white window (neutral/ light/bell/door opener)

Model	
product brand name	DELTA
design of the product	single pushbutton
design of the switching function	1 NO contact
type of composition	base element with complete housing
design of the actuating element	pushbutton/momentary pushbutton
General technical data	
printed marking	Other
mounting type	surface mounting
surface processing	others
material	others
Supply voltage	
operating voltage rated value	230 V
Protection class	
protection class IP	IP44
Breaking Capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	shiny
RAL color number	RAL 7035
color	grey
Product details	
product component	
• labeling field	No
• integrated light source	No
• signaling contact	No
number of NC contacts	0
number of NO contacts	1
number of CO contacts	0
product feature	
• halogen-free	Yes
• transparent	No
Number	
number of actuating rockers	1
Mechanical Design	
height	75 mm
width	66 mm
depth	54 mm

fastening method	screw fixing			
material of the enclosure	plastic			
Approvals Certificates				
General Product Approval		Test Certificates	other	Environment
 EG-Konf.	 VDE		Miscellaneous	Confirmation Environmental Confirmations

Further information Siemens has decided to exit the Russian market (see here). https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business Siemens is working on the renewal of the current EAC certificates. Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus). Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875 Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD4701 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/5TD4701 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD4701 CAX-Online-Generator http://www.siemens.com/cax Tender specifications http://www.siemens.com/specifications



