



DELTA i-system titanium white Double equipotential bonding socket 55x 55 mm, DIN 42801 cable connection 1x 6 mm² and 4x 2.5 mm²

Model		
product brand name		DELTA
product designation		Socket outlets, for equipotential bonding, double
design of the product		Equipotential bonding
cover plate version		55x55 mm
type of composition		central plate
General technical data		
mounting type		flush mounting
surface processing		others
product feature printed marking		No
material		thermoplastic
Protection class		
protection class IP		IP20
Suitability		
suitability for use		equipotential bonding socket
Appearance		
appearance		shiny
RAL color number		Similar to RAL 9010
color		titanium white
Product details		
product component		
• labeling field		No
• hinged lid		No
• strain relief		No
product feature		
• halogen-free		Yes
• transparent		No
Mechanical Design		
height		55 mm
fastening method		screw mounting
material		plastic
Approvals Certificates		
General Product Approval	other	Environment

[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2564>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG2564>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2564

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

3/16/2023 

