




DELTA Loudspeaker connection socket 2-fold, 25V AC 60V DC up to 10 mm quadrant release lever

Model	
product brand name	DELTA
product designation	Loudspeaker outlet box, double
design of the product	Inserts with cover plate
type of composition	basic element
General technical data	
mounting type	flush mounting
surface processing	others
product feature printed marking	No
material	others
Protection class	
protection class IP	IP20
Suitability	
suitability for use	loudspeaker connection
Appearance	
appearance	not applicable
color	miscellaneous
Product details	
product component	
• labeling field	No
• hinged lid	No
• strain relief	No
product feature	
• halogen-free	Yes
• transparent	No
Mechanical Design	
fastening method	claw/screw mounting
material	others
Approvals Certificates	
General Product Approval	other

[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

Further information	
Information on the packaging	
https://support.industry.siemens.com/cs/ww/en/view/109813875	
Information- and Downloadcenter (Catalogs, Brochures,...)	

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2468-2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG2468-2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2468-2

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/19/2022 

