



coupling with connecting cable 5 m long, with 8 mm latching connection, for connector 6-pole, for 3SE66 magnetically-operated switch

General technical data			
product brand name		SIRIUS	
product designation		Coupling, socket 8mm, 6-pole, snap fit, for 3SE66	
operational current at 40 °C rated value		1.5 A	
operating voltage rated value		30 V	
number of poles		6	
wire length of connection cable		5 m	
ambient temperature during operation		-25 ... +80 °C	
type of electrical connection		8 mm connector, 6-pin, snap-in locking mechanism	
color coding of the core		Pin 1 = BN, Pin 2 = WH, Pin 3 = GN, Pin 4 = YE, Pin 5 = GY, Pin 6 = BU	
overvoltage category		2	
degree of pollution		3	
protection class IP		IP65	
material			
• of the contact		CuZn	
• of contact coating		Au	
• of contact main body		TPU	
Certificates/ approvals			
General Product Approval		other	Environment






[Confirmation](#)



[Confirmation](#)

[Environmental Confirmations](#)

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/ic10
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SX5601-4GA05
Cax online generator http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SX5601-4GA05
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3SX5601-4GA05
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SX5601-4GA05&lang=en



1	BN = Brown
2	WH = White
3	GN = Green
4	YE = Yellow
5	GY = Grey
6	BU = Blue

