

DELTA connection socket Universal connection unit 1x 8-pole RJ45 Cat. 6 A unshielded LSA-plus terminals Screw mounting



Model			
product brand name		DELTA	
product designation		Connection socket	
design of the product		Communication	
type of composition		basic element	
General technical data			
mounting type		flush mounting	
surface processing		others	
product feature printed marking		No	
material		others	
Protection class			
protection class IP		IP20	
Suitability			
suitability for use		UAE/IAE	
Appearance			
appearance		not applicable	
color		miscellaneous	
Product details			
product component			
• labeling field	No		
• hinged lid	No		
• strain relief	No		
product feature			
• halogen-free	Yes		
• transparent	No		
Mechanical Design			
height		70 mm	
depth		28 mm	
fastening method		screw mounting	
material		plastic	
Approvals Certificates			
General Product Approval		other	Environment

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-
firmations](#)

Further information		
Information on the packaging		

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2027-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG2027-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2027-1

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

8/1/2022 

