

Pin busbar touch-safe, 10 mm<sup>2</sup> 1-phase, 1016 mm long can be cut, without end caps



| Model                           |                                   |
|---------------------------------|-----------------------------------|
| product brand name              | SENTRON                           |
| product designation             | Pin busbar                        |
| design of the product           | 10 mm <sup>2</sup> , 1PH L1016 mm |
| General technical data          |                                   |
| phase number                    | 1                                 |
| cross-section                   | 10 mm <sup>2</sup>                |
| Main circuit                    |                                   |
| operational current rated value | 63 A                              |
| Product details                 |                                   |
| product feature insulated       | Yes                               |
| Connections                     |                                   |
| type of electrical connection   | Pin                               |
| Mechanical Design               |                                   |
| width                           | 15.5 mm                           |
| length                          | 1 016 mm                          |
| net weight                      | 158.59 g                          |
| Approvals Certificates          |                                   |
| General Product Approval        | other                             |



[Confirmation](#)


[Miscellaneous](#)



[Confirmation](#)

| other                         | Environment                                 |
|-------------------------------|---------------------------------------------|
| <a href="#">Miscellaneous</a> | <a href="#">Environmental Confirmations</a> |
|                               | <a href="#">Environmental Confirmations</a> |

| Further information                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Information on the packaging<br><a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>                                     |
| Information- and Downloadcenter (Catalogs, Brochures,...)<br><a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>                                            |
| Industry Mall (Online ordering system)<br><a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3731">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3731</a> |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)<br><a href="https://support.industry.siemens.com/cs/ww/en/ps/5ST3731">https://support.industry.siemens.com/cs/ww/en/ps/5ST3731</a>       |



1) Pin spacings in MW (Modular widths, 1 MW = 18

