



D0-SWITCH-DISCONNECTOR-FUSE 400V D02 63A 3-POLE FOR 60MM-BUSBAR-SYSTEM WITH SCREWLESS TERMINALS WITH LED-SIGNALLING

Model		
product brand name		MINIZED
product designation		Switch disconnectors with fuses
design of the product		For busbar system 8US 60 mm, with LED signal detector
General technical data		
number of poles		3
size of fuse system according to EN 60269-1		D02
Voltage		
surge voltage resistance rated value		6 kV
Supply voltage		
operating voltage at AC rated value		400 V
Protection class		
protection class IP		IP20, with connected conductors
Dissipation		
power loss [W] for rated value of the current at AC in hot operating state per pole		7.5 W
Product details		
product feature sealable		Yes
Mechanical Design		
height		79 mm
width		27 mm
depth		200 mm
mounting position		any, preferably vertical
net weight		330 g
Approvals Certificates		
General Product Approval		other
		Environment

[Confirmation](#)



[Miscellaneous](#)


[Confirmation](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG7234-2>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/5SG7234-2>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



last modified:

6/24/2022

