

Specifications



Eaton CH30J2

Eaton Bussmann series CH modular fuse holder, 30 A, Two-pole, Class J, Thermoplastic housing, Tin-plated copper clip, 35 mm DIN rail, Panel, 600 Vac/dc

General specifications

PRODUCT NAME	Eaton Bussmann series CH modular fuse holder
CATALOG NUMBER	CH30J2
UPC	051712630849
EAN	5027590161831
PRODUCT LENGTH/DEPTH	4.5 in
PRODUCT HEIGHT	2 in
PRODUCT WIDTH	4 in
PRODUCT WEIGHT	0.848 lb
WARRANTY	Not Applicable
COMPLIANCES	RoHS Compliant CE Marked
CERTIFICATIONS	Contact Manufacturer UL Listed CSA Certified
PRODUCT TYPE	Modular fuse holder



Powering Business Worldwide

Electrical rating

AMPERAGE RATING	30 A
VOLTAGE RATING	600 Vac, 600 Vdc

General information

CLASS	Class J
MOUNTING METHOD	35 mm DIN rail Panel

Physical details

MATERIAL	Tin-plated copper clip Thermoplastic housing
NUMBER OF POLES	Two-pole
OPERATING TEMPERATURE - MAX	85 °C
OPERATING TEMPERATURE - MIN	85 °C

Resources

CATALOGS	eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf
	Bussmann series full line catalog 1007, section 8 fuse blocks and holders
	Bussmann series complete full line catalog no. 1007
CERTIFICATION REPORTS	Eaton Bussmann EU Declaration of conformity 93-68-EEC2301
MULTIMEDIA	Bussmann series Fuseology
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - CH30J2
TECHNICAL DATA SHEETS	CH30J2~30AJ MODULEAR FUSEHOLDER 2 POLE
	Bussmann series Class J CH series modular fuse holders data sheet no. 2144
TECHNICAL SERVICE BULLETINS	Datasheet - FNQ-30

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

