

Specifications

Eaton INDGW-X2

GIGABIT INDUSTRIAL GATEWAY CARD X-SLOT

General specifications

PRODUCT NAME	Eaton UPS industrial gateway card
CATALOG NUMBER	INDGW-X2
UPC	786689529215
PRODUCT LENGTH/DEPTH	115 mm
PRODUCT HEIGHT	38 mm
PRODUCT WIDTH	112 mm
PRODUCT WEIGHT	0.13 kg
COMPLIANCES	CE Marked
PRODUCT TYPE	Industrial gateway card

Product specifications

CARD SLOT TYPE	X-Slot
NUMBER OF ETHERNET PORTS	1
NUMBER OF USB PORTS	2
OPERATING TEMPERATURE - MAX	104 °F
OPERATING TEMPERATURE - MIN	32 °F
RELATIVE HUMIDITY - MAX	90 %
SENSOR INTEGRATION	EMPDT1H1C2
SERVICE CONSOLE PORT	1
SOFTWARE INTEGRATION	IPM, VPM
USED WITH	BladeUPS, 9155, 9355, 9395, 9395P, 9395C
ETHERNET SPEED	10/100/1000 Mbps
PROTOCOL	HTTPS SNMP v1 SNMP v3 NTP SMTP BootP DHCP SSH MQTT Modbus TCP Modbus RTU Bacnet Radius LDAP IP v4 IP v6
INTEGRATION	REST API
ENVIRONMENT	Same as UPS
MIB SUPPORT	xUPS, IETF UPS

Resources

SPECIFICATIONS AND
DATASHEETS

[Eaton Specification Sheet -
INDGW-X2](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

