

RECESS BOX SMALL 300X300X150  
3007940



Features


- Insulation recess box small 300X300X150 protect transformers, fixtures and building parts against overheating. The boxes are made of flame retardant red polypropylene. They are suitable for mounting on normally flammable materials such as wood. To comply with safety standards, a fixture of max Wattage of 35W can be used. Other fixtures can also be used in combination with these boxes, provided that the minimum recess dimensions and maximum Wattages specified for those fixtures in insulated ceilings are respected.

Product Overview

|                     |                                                           |
|---------------------|-----------------------------------------------------------|
| Product name        | RECESS BOX SMALL 300X300X150                              |
| Technology          | Accessory                                                 |
| Environment         | Indoor                                                    |
| General application | Hospitality, Logistics & Industry, Residential & Consumer |
| ETIM Class          | EC002472                                                  |
| E-number FI         | 4270172                                                   |
| E-number SE         | 7472698                                                   |
| E-number Norway     | 3208700                                                   |
| Housing colour      | Red                                                       |
| Product EAN number  | 8711971079408                                             |
| Warranty            | 5 years                                                   |

## RECESS BOX SMALL 300X300X150 3007940

### Technical drawings



### Data table

#### GENERAL DATA

|                     |                                                           |
|---------------------|-----------------------------------------------------------|
| Product name        | RECESS BOX SMALL 300X300X150                              |
| Technology          | Accessory                                                 |
| Environment         | Indoor                                                    |
| General application | Hospitality, Logistics & Industry, Residential & Consumer |
| ETIM Class          | EC002472                                                  |
| E-number FI         | 4270172                                                   |
| E-number SE         | 7472698                                                   |
| E-number Norway     | 3208700                                                   |
| Warranty            | 5 years                                                   |

#### OPTICAL DATA

|                         |   |
|-------------------------|---|
| Adjustable chromaticity | N |
|-------------------------|---|

#### ELECTRICAL DATA

## RECESS BOX SMALL 300X300X150 3007940

|                       |     |
|-----------------------|-----|
| Control gear required | No  |
| Transformer required  | Yes |
| Glow Wire Test (°C)   | 850 |

### PHYSICAL DATA

|                |     |
|----------------|-----|
| Housing colour | Red |
| Weight (kg)    | 0.5 |

### PACKAGING

|                                       |                |
|---------------------------------------|----------------|
| Single packaging type                 | Carton         |
| Product EAN number                    | 8711971079408  |
| Packaging single length / height (cm) | 40.0           |
| Packaging single width (cm)           | 40.0           |
| Packaging single depth (cm)           | 4.0            |
| DUN14 (outer)                         | 18711971079405 |
| Units per outer package               | 10             |
| Packaging outer length / height (cm)  | 40.0           |
| Packaging outer width (cm)            | 40.0           |
| Packaging outer depth (cm)            | 4.0            |

### SAFETY DATA

|                                     |    |
|-------------------------------------|----|
| Special purpose lamp                | No |
| Dry applications use only           | No |
| Suitable for household illumination | No |