

PRODUCT DATASHEET

ST 111 LONGLIFE

Starters for single operation at 230 V AC (ST 111, ST 171, ST 173) | Starters for single operation at 230 V AC



Product features

- Temperature range for reliable cut-out: -20...+80 °C



TECHNICAL DATA

Electrical data

Nominal wattage	65.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Dimensions & Weight

Diameter	21,5 mm
Product weight	6.58 g

Additional product data

Mercury content	0.0 mg
Product remark	Not suitable for L 70 W / Starters are available in two different designs, with identical technical features

Capabilities

Dimmable	No
----------	----

Country-specific categorizations

Order reference	ST 111
-----------------	--------

Energy labelling regulation data acc EU 2019/2015

Length	40.30 mm
Height	21,5 mm
Width	21.50 mm

DOWNLOAD DATA

Documents and certificates	
	Declarations Of Conformity CE

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300270166	Unpacked 1	35 mm x 19 mm x 22 mm	6.58 g	0.01 dm ³

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

4050300270173	Shipping box 1,200	400 mm x 235 mm x 325 mm	8386.00 g	30.55 dm ³
---------------	-----------------------	--------------------------	-----------	-----------------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.