



DELTA flaeche IP44, AP Dark gray/light gray Shutter pushbutton with electrical interlock 10 A 250 V and symbols Up/Down, 66x 75 mm

Model	
product brand name	DELTA
product designation	Shutter/blind pushbutton
design of the product	With electrical lock 10 A 250 V and up/down symbols, 66 x 75 mm
design of the surface	others
type of composition	basic element with complete enclosure
design of the actuating element	rocker
General technical data	
number of poles	2
type of switch	pushbutton 2-pole
mounting type	surface mounting
material	others
Supply voltage	
operating voltage rated value	250 V
Protection class	
protection class IP	IP44
Switching capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	shiny
RAL color number	7035
color	grey
Product details	
product component labeling field	No
product feature	
• halogen-free	Yes
• transparent	No
Product function	
product function	
• electronic operation	No
• mechanical operation	Yes
Display and operation	
number of keys	2
Mechanical Design	
height	75 mm
depth	47 mm
fastening method	screw mounting
material of the enclosure	plastic

General Product Approval	Declaration of Conformity	other	Environment
--------------------------	---------------------------	-------	-------------



[Confirmation](#)

[Environmental Confirmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD4708>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TD4708>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD4708

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

8/1/2022 

