



Busbar system, accessories Busbar center-to-center spacing 40, 60 mm
Connection terminal Bar thickness: 10 mm+TT profile for copper busbars and laminated copper bands on busbars 20x 5-30x 10 mm also for longitudinal connections

Model		
product brand name	SENTRON	
product designation	Connecting terminal	
design of the product	Accessories	
suitability for use	Copper rails, laminated copper bands and longitudinal connections	
Connections		
type of connectable conductor cross-sections for copper conductor stranded	20 mm x 5 mm - 30 mm x 10 mm	
Mechanical Design		
net weight	298 g	
General Product Approval		Declaration of Conformity

[Confirmation](#)



Test Certificates	Marine / Shipping	other	Environment	
Miscellaneous	 	Miscellaneous	Confirmation	Environmental Confirmations

Further information
Siemens has decided to exit the Russian market (see here). https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business Siemens is working on the renewal of the current EAC certificates. Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus). Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875 Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1941-2BB00 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/8US1941-2BB00 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1941-2BB00 CAX-Online-Generator http://www.siemens.com/cax Tender specifications http://www.siemens.com/specifications

last modified:

7/6/2021 

