

DELTA style, titanium white frame 5-fold, 366x 82 mm



Model		
product brand name	DELTA	
product designation	Frame	
design of cover frame flush design	No	
General technical data		
surface processing	others	
material	thermoplastic	
Protection class		
protection class IP	IP20	
Suitability		
suitability for integration		
• built-in installation	No	
• device installation duct	No	
• underfloor duct box	No	
• flush mounting	Yes	
Appearance		
appearance	shiny	
RAL color number	9010	
color	Titanium white	
Product details		
product component		
• labeling field	No	
• hinged lid	No	
product feature		
• halogen-free	Yes	
• transparent	No	
Number		
number of units	5	
Mechanical Design		
height	366 mm	
width	82 mm	
fastening method	terminal mounting	
mounting position	horizontal and vertical	
material of cover frame	plastic	
General Product Approval		Declaration of Con- formity
		other



Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1325>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG1325>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1325

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



